

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location	Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection	
JMH	Huger, SC	2004979	Galvanized	.0137	43.125		6,300	DS	50	.014	.013	(G30 - NCT Oil) - No Visible
CHI	Gary, IN	2004821	Galvanized	.014	27.812		13,900	CS-B	68	Core	.015	(G30 - NCT Oil) - Subject to white
JMH	Huger, SC	2004976	Galvanized	.014	48.125		11,350	CS-B	68	.015	.015	(G60 - NCT Dry) - No Visible
CHI	Gary, IN	2005132	Galvanized	.014	55.870		16,960	DS	55	.015	.015	(G30 NCT Dry) - Light ID
CHI	Gary, IN	2004881	Galvanized	.014	56.000		5,880	CS-B	68	.014	.014	(G30 - Nct Oil) - No Visible
JMH	Huger, SC	2004978	Galvanized	.0145	51.437		7,200	DS	50	.014	.014	(G30 - CT Dry) - Light Bent Edge
JMH	Huger, SC	2004973	Galvanized	.0165	57.625		11,450	DS	55	.015	.016	(G30 - Nct Oil) - No Visible
MPT	Tampa, FL	2004102	Galvanized	.018	60.000		3,745	DS	50	.016	.018	(G90 CT Dry) - Belled Edge One
ALM	Cartersville, GA	2005146	Galvanized	.019	48.000		19,920	CS-B		.019	.018	(G90 - Nct LO) - Excess Prime
ALM	Cartersville, GA	2005147	Galvanized	.019	48.000		12,680	CS-B		.020	.019	(G90 - Nct LO) - Excess Prime
ALM	Cartersville, GA	2005148	Galvanized	.019	48.000		5,080	CS-B		.019	.019	(G90 - Nct LO) - Excess Prime
JMH	Huger, SC	2004915	Galvanized	.019	48.125		9,950	DS	55	.019	.019	(G60 - CT Dry) - Oscillated with
JMH	Huger, SC	2004878	Galvanized	.019	50.375		1,670	DS	55	.0194	.0194	(G60 CT DRY) - No Visible
JMH	Huger, SC	2004879	Galvanized	.019	50.375		1,350	DS	55	.0194	.0194	(G60 CT DRY) - No Visible
TRC	Wilmerding, PA	2005173	Galvanized	.0217	60.000		9,460	CS-B	68	.023	.023	(G90 CT Dry) - No Visible Defects
TRC	Wilmerding, PA	2005174	Galvanized	.0217	60.000		9,580	CS-B	68	.023	.023	(G90 CT Dry) - No Visible Defects
TRC	Wilmerding, PA	2005175	Galvanized	.0217	60.000		9,620	CS-B	68	.023	.023	(G90 CT Dry) - No Visible Defects
TRC	Wilmerding, PA	2005176	Galvanized	.0217	60.000		9,580	CS-B	68	.023	.023	(G90 CT Dry) - No Visible Defects
TRC	Wilmerding, PA	2005177	Galvanized	.0217	60.000		9,700	CS-B	68	.023	.023	(G90 CT Dry) - No Visible Defects
JMH	Huger, SC	2005122	Galvanized	.024	48.125		15,120	DS	50	.024	.023	(G40 - NCT Oil) - No Visible
COL	Atlanta, GA	2004449	Galvanized	.028	4.250		3,530	DDS	34	.0300	.0300	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004450	Galvanized	.028	4.250		4,400	DDS	34	.0300	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004451	Galvanized	.028	4.250		1,780	DDS	34	.0290	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004452	Galvanized	.028	4.250		1,785	DDS	34	.0300	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004453	Galvanized	.028	4.250		1,770	DDS	34	.0300	.0300	(G30 - Nct Oil) - No Visible
USS	Brookfield, OH	2005228	Galvanized	.029	57.625		35,505	DDS	43	.029	.029	(60G/60G NCT LO) - Subject to
CHI	Gary, IN	2004983	Galvanized	.029	65.750		9,380	DDS	43	.029	.029	(70G/70G NCT Oil) - No Visible

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location	Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection	
COL	Atlanta, GA	2004719	Galvanized	.031	4.625		1,150	DDS	43	.0360	.0350	(G60 - NCT Oil) - Excess Prime
COL	Atlanta, GA	2004720	Galvanized	.031	4.625		1,135	DDS	43	.0360	.0350	(G60 - NCT Oil) - Excess Prime
COL	Atlanta, GA	2004721	Galvanized	.031	4.625		1,170	DDS	43	.0300	.0310	(G60 - NCT Oil) - Excess Prime
CHI	Gary, IN	2004352	Galvanized	.032	11.120		1,320	DDS	34	.0350	.0350	No Visible Defects (5 Coils)
USS	Brookfield, OH	2005229	Galvanized	.033	64.500		42,690	DDS	38	.032	.033	(70G/70G NCT Oil) - Excess
JMH	Huger, SC	2004975	Galvanized	.035	59.000		5,550	HS	80	.035	.035	(G40 - Nct Oil) - White Rust on
JMH	Huger, SC	2005039	Galvanized	.037	46.500		9,120	HS	78	.036	.035	(G40 CT OIL) Excess Prime
JMH	Huger, SC	2005032	Galvanized	.039	52.500		26,360	HS	78	.038	.038	(50G/50G NCT Oil) - No Visible
COL	Atlanta, GA	2003746	Galvanized	.042	48.000	96.500	3,525	CS-B	68		.042	(G30 NCT Oil) - No Visible
COL	Atlanta, GA	2003747	Galvanized	.042	48.000	96.500	3,535	CS-B	68		.042	(G30 NCT Oil) - No Visible
CHI	Gary, IN	2005153	Galvanized	.0433	57.150		42,400	CS-B	59	.044	.042	(60G/60G - NCT Oil) - Excess
FCP	Delta, OH	2005171	Galvanized	.044	3.000		775	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White
FCP	Delta, OH	2005169	Galvanized	.044	4.690		1,215	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White
FCP	Delta, OH	2005170	Galvanized	.044	39.500		10,300	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White
TRC	Wilmerding, PA	2003744	Galvanized	.044	48.000		7,100	DDS	34	.045	.045	(G60 NCT Oil) - No Visible
FCP	Delta, OH	2005172	Galvanized	.044	48.000		23,680	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White
JMH	Huger, SC	2004084	Galvanized	.045	48.125	96.562	2,590	CS-B	68		.045	(G60 CT Dry) - No Visible Defects
JMH	Huger, SC	2004712	Galvanized	.046	58.625		36,650	DDS	34	.046	.046	(G40 - CT Dry) - No Visible
JMH	Huger, SC	2005040	Galvanized	.054	56.875		12,240	HS	78	.052	.052	(50G/50G NCT Oil) - Excess
COL	Atlanta, GA	2003779	Galvanized	.055	12.000		9,145	HS	78	.054	.056	(50G/50G NCT Oil) - Excess
TRC	Wilmerding, PA	2004938	Galvanized	.057	60.000		7,158	DS	50	.057	.057	(G90 - CT Dry) - No Visible
CHI	Gary, IN	2004072	Galvanized	.059	21.930		1,100	DDS	34	.059	.059	(G40 NCT Oil) - No Visible
CHI	Gary, IN	2004073	Galvanized	.059	21.930		1,120	DDS	34	.059	.059	(G40 NCT Oil) - No Visible
CHI	Gary, IN	2004020	Galvanized	.059	27.030		1,460	DDS	34	.061	.061	(G40 Nct Oil) -No Visible Defects
CHI	Gary, IN	2004021	Galvanized	.059	27.030		1,460	DDS	34	.062	.062	(G40 Nct Oil) -No Visible Defects
CHI	Gary, IN	2004023	Galvanized	.059	27.030		2,960	DDS	34	.062	.061	(G40 NCT Oil) - No Visible
CHI	Gary, IN	2004022	Galvanized	.059	27.060		2,960	DDS	34	.060	.061	(G40 NCT Oil) - No Visible

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location		Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection
CHI	Gary, IN	2004551	Galvanized	.059	27.062		1,410	DDS	43	.059	.059	(60G/60G - CT Oil) - No Visible
CHI	Gary, IN	2004552	Galvanized	.059	27.062		1,380	DDS	43	.059	.059	(60G/60G - CT Oil) - No Visible
CHI	Gary, IN	2004984	Galvanized	.0591	6.250		1,610	DDS	34	.0610	.0610	(60G/60G - CT Oil) - Subject to
JMH	Huger, SC	2004918	Galvanized	.0599	45.500		41,000	CS-B	68	.058	.058	(G40 - Nct Oil) - Galv Build Up
CHI	Gary, IN	2002295	Galvanized	.061	59.930		13,400	HSLA	70	.059	.062	(G40 NCT Oil) - No Visible
ALM	Cartersville, GA	2005186	Galvanized	.065	8.750		3,620	DDS	43	.065	.065	(G60 CT Dry) - Excess Prime
ALM	Cartersville, GA	2005187	Galvanized	.065	8.750		3,580	DDS	43	.065	.065	(G60 CT Dry) - Excess Prime
JMH	Huger, SC	2005178	Galvanized	.065	60.000		36,300	CS-B	62	.065	.065	(G40 - Acrylic Oil) - No Visible
COL	Atlanta, GA	2001918	Galvanized	.069	6.230		1,490	HS		.0690	.0690	No Visible Defects
COL	Atlanta, GA	2002253	Galvanized	.070	8.250		2,680	N/A		.0730	.0740	Subject to White Rust
COL	Atlanta, GA	2002257	Galvanized	.070	8.500		1,720	N/A		.0710	.0710	Subject to Chrome Stains
COL	Atlanta, GA	2002256	Galvanized	.070	8.625		3,405	N/A		.0700	.0710	Subject to White Rust
COL	Atlanta, GA	2004476	Galvanized	.070	48.000	120.000	2,460	CS-B	68		.078	(G60 - Nct Oil) - No Visible
COL	Atlanta, GA	2001876	Galvanized	.071	15.750		2,825	DS	56	.0720	.0720	No Visible Defects
CHI	Gary, IN	2005107	Galvanized	.071	51.250	44.250	2,314	DS	57		.071	(G40 - CT Dry) - No Visible
CHI	Gary, IN	2005105	Galvanized	.071	52.120		18,340	DS	52	.071	.071	(G40 - NCT Dry) - No Visible
COL	Atlanta, GA	2001263	Galvanized	.075	3.915		4,865	HS	74	.0750	.0750	(G40 NCT Oil) - Oscillated w/ Lite
JMH	Huger, SC	2005160	Galvanized	.075	51.750		27,880	HS	82	.075	.075	(50G/50G NCT Oil) - Excess
JMH	Huger, SC	2004620	Galvanized	.076	48.750		14,930	HS		.080	.078	No Visible Defects
JMH	Huger, SC	2005159	Galvanized	.077	51.687		23,340	HS	82	.077	.077	(50G/50G NCT Oil) - Excess
HSM	Detroit, MI	2004609	Galvanized	.078	58.120		15,215	HS	84	.0780	.0780	(G40 NCT Oil) - Subject to Water
CHI	Gary, IN	2004507	Galvanized	.078	59.250		24,050	DS	34	.080	.082	(G60 NCT Oil) Heavy Rust ;
COL	Atlanta, GA	2004456	Galvanized	.080	3.000		2,350	HSLA	70	.0860	.0850	(G40 NCT Oil) - No Visible
COL	Atlanta, GA	2001927	Galvanized	.081	7.000		3,100	HS	78	.0830	.0810	No Visible Defects
COL	Atlanta, GA	2001926	Galvanized	.082	7.000		3,090	HS	78	.0830	.0830	No Visible Defects
COL	Atlanta, GA	2001925	Galvanized	.083	7.000		3,125	HS	78	.0850	.0840	No Visible Defects
COL	Atlanta, GA	2001924	Galvanized	.084	7.000		3,110	HS	78	.0830	.0830	No Visible Defects

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location		Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection
JMH	Huger, SC	2004989	Galvanized	.086	63.750		10,294	HSLA	75	.0860	.0860	(60G/60G- NCT Oil) - Subject to
COL	Atlanta, GA	2005129	Galvanized	.097	60.125	120.000	2,950	DS	48		.097	(G90 CT Dry) - No Visible Defects