

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location		Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection
MSD	Trinity, AL	2008173	Galvanized	.013	3.500		576	GR50	88	.013	.013	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008174	Galvanized	.013	3.500		280	GR50	91	.013	.013	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008175	Galvanized	.013	3.500		244	GR80	91	.013	.013	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008176	Galvanized	.013	3.500		548	GR80	91	.013	.013	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008152	Galvanized	.014	3.500		506	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008153	Galvanized	.014	3.500		564	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008154	Galvanized	.014	3.500		560	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008155	Galvanized	.014	3.500		556	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008156	Galvanized	.014	3.500		580	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008157	Galvanized	.014	3.500		572	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008158	Galvanized	.014	3.500		472	GR80	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008159	Galvanized	.014	3.500		522	GR80	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008160	Galvanized	.014	3.500		522	GR80	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008161	Galvanized	.014	3.500		518	GR80	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008162	Galvanized	.014	3.500		562	GR50	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008163	Galvanized	.014	3.500		610	GR50	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008164	Galvanized	.014	3.500		614	GR50	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008165	Galvanized	.014	3.500		606	GR50	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008166	Galvanized	.014	3.500		502	GR50	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008167	Galvanized	.014	3.500		522	GR50	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008168	Galvanized	.014	3.500		458	GR50	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008287	Galvanized	.014	4.625		678	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008288	Galvanized	.014	4.625		758	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008289	Galvanized	.014	4.625		758	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008290	Galvanized	.014	4.625		750	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008291	Galvanized	.014	4.625		780	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008292	Galvanized	.014	4.625		770	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location		Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection
MSD	Trinity, AL	2008293	Galvanized	.014	4.625		632	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008294	Galvanized	.014	4.625		696	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008295	Galvanized	.014	4.625		694	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008296	Galvanized	.014	4.625		698	GR80	91	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008297	Galvanized	.014	4.625		750	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008298	Galvanized	.014	4.625		816	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008299	Galvanized	.014	4.625		814	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008300	Galvanized	.014	4.625		810	GR80	88	.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008301	Galvanized	.014	4.625		664	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008302	Galvanized	.014	4.625		704	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008303	Galvanized	.014	4.625		616	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008304	Galvanized	.014	4.625		730	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008305	Galvanized	.014	4.625		376	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008306	Galvanized	.014	4.625		326	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
MSD	Trinity, AL	2008307	Galvanized	.014	4.625		782	GR80		.014	.014	(G90 - CT Dry) - Prime Drop Cut
JMH	Huger, SC	2008261	Galvanized	.019	1.500		1,012	CS-B	62	.019	.019	(G40 CT Dry) - No Visible Defects
JMH	Huger, SC	2008263	Galvanized	.019	1.500		1,006	CS-B	62	.019	.019	(G60 - CT Dry) - No Visible
ALS	Spartanburg, SC	2007276	Galvanized	.0276	12.394		4,685	GR50	74	.027	.027	(60G/60G - NCT Oil) - No Visible
COL	Atlanta, GA	2004449	Galvanized	.028	4.250		3,550	DDS	34	.0300	.0300	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004450	Galvanized	.028	4.250		4,400	DDS	34	.0300	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004451	Galvanized	.028	4.250		1,780	DDS	34	.0290	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004452	Galvanized	.028	4.250		1,785	DDS	34	.0300	.0290	(G30 - Nct Oil) - No Visible
COL	Atlanta, GA	2004453	Galvanized	.028	4.250		1,770	DDS	34	.0300	.0300	(G30 - Nct Oil) - No Visible
ALM	Cartersville, GA	2007961	Galvanized	.028	8.125		2,930	EDDS	39	.0330	.0330	(G90 NCT LO) - No Visible
ALS	Spartanburg, SC	2007650	Galvanized	.0295	19.291		27,275	GR60	89	.0295	.0295	(50G/50G Nct Lo) - Subject to
IMI	Ferndale, MI	2005171	Galvanized	.044	3.000		775	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White
IMI	Ferndale, MI	2005169	Galvanized	.044	4.690		1,215	DDS	45	.045	.045	(G60 NCT Oil) - Subject To White

Sun States Inventory

Click Browser "Back" Button to Return to Website

Plant Location	Tag #	Product	Gauge	Width	Length	Weight	Grade	Rb	ID	OD	Visual Inspection	
ALS	Spartanburg, SC	2008250	Galvanized	.0449	10.452		4,315	GLFH	103	.0449	.0449	(50G/50G NCT Oil) - Excess
ALM	Cartersville, GA	2005562	Galvanized	.055	1.500		4,720	DS	50	.055	.055	(G90 - NCT Oil) - Subject to White
ALS	Spartanburg, SC	2007916	Galvanized	.0567	9.000		8,320	GR70	98	.0567	.0567	(50G/50G NCT Oil) - No Visible
ALS	Spartanburg, SC	2007917	Galvanized	.0567	9.000		8,360	GR70	97	.0567	.0567	(50G/50G NCT Oil) - No Visible
ALS	Spartanburg, SC	2008338	Galvanized	.0567	10.000		7,490	HS	89	.056	.056	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2008339	Galvanized	.0567	10.000		7,125	HS	89	.056	.056	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2008337	Galvanized	.0567	10.295		7,495	HS	87	.056	.056	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2008320	Galvanized	.0567	15.250		11,490	HS	86	.0567	.0567	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2008251	Galvanized	.0567	19.685		8,540	GLFH	103	.0567	.0567	(50G/50G NCT Oil) - Excess
ALS	Spartanburg, SC	2008252	Galvanized	.0567	19.685		8,550	GLFH	103	.0567	.0567	(50G/50G NCT Oil) - Excess
USS	Brookfield, OH	2006055	Galvanized	.059	22.000		20,100	EDDS	46	.0575	.0575	(60G/60G - NCT Oil) - Subject to
GPC	Camden, OH	2006248	Galvanized	.065	4.500		2,667	RB85	85	.064	.064	(G40 - Acrylic Oil) - No Visible
FER	Huger, SC	2008242	Galvanized	.0748	15.000		11,025	DS	53	.0748	.0748	(50G/50G NCT LO) - Excess
FER	Huger, SC	2008246	Galvanized	.0748	15.000		10,765	DS	55	.0748	.0748	(50G/50G NCT Oil) - Excess
COL	Atlanta, GA	2001263	Galvanized	.075	3.915		4,865	GR50	74	.0750	.0750	(G40 NCT Oil) - Oscillated w/ Lite
ALS	Spartanburg, SC	2008321	Galvanized	.076	5.434		3,760	HS	84	.076	.076	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2007471	Galvanized	.076	7.425		3,260	GR60	85	.076	.076	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2007472	Galvanized	.076	7.425		3,290	GR60	85	.076	.076	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2006975	Galvanized	.076	7.750		3,315	GR60	85	.076	.076	(50G/50G NCT LO) - Excess
ALS	Spartanburg, SC	2006976	Galvanized	.076	7.750		3,385	GR60	85	.076	.076	(50G/50G NCT LO) - Excess